

RANGE OF PRODUCTS

- ✉ Chain & Chain Slings
- ✉ Chain / Wire Rope / Manila Rope Pulley Block
- ✉ E.O.T. / H.O.T. Crane
- ✉ D & Bow Shackles
- ✉ ISI Mark Chain Pulley Block
- ✉ Polyester Slings (Webbing & Round)
- ✉ Ratchet & Cargo Lashings
- ✉ Wire Rope & Wire Rope Slings
- ✉ Electric Chain & Wire Rope Hoist
- ✉ Turn Buckle, Rigging / Bottle Screws
- ✉ Wire Rope Thimble & Clamps
- ✉ Eye Hook, Shank Hook, Eye Bolts
- ✉ Plate & Pipe Lifting Clamps
- ✉ Master Link, O Ring & Oblong Rings
- ✉ Lifting & Pulling Machines, Ratchet Lever Hoist
- ✉ Winches & Jacks
- ✉ All Types of Lifting Tackles

Mkt. Off.: Plot No. : 1324, Phase 3, Vatva G.I.D.C., Nr. Laxmi Narayan Waybridge, Trikampura Patiya, Ahmedabad-382445
Ph. : 079-40036361 | M.: 98251 58045 | E-mail : vrajassociates64@yahoo.com | svdesai2601@yahoo.com
Website : www.vrajlinkchain.com



LIFTING CHAINS




EOT CRANE

Authorised Distributer :
Monal Chain Ltd., Braut Engineering Pvt. Ltd.
Viraj Syntex Pvt. Ltd. & Forging India



Chain Hoist

Capacity	Motor	Chain dia	Mo.Facs	Speed
1 ton	1.5 hp	8 mm	2	4 to 5 mpm
2 ton	1.5 hp	8 mm	4	2 to 3 mpm



Wire Rope Hoist

Capacity	Lift	No Falls	Hoisting Motor	C.T. Motor	Speed
1 ton	6 mtr	2	1.5 hp	0.25 hp	3 to 4 mpm
2 ton	6 mtr	4	3 hp	0.5 hp	3 to 4 mpm
3 ton	6 mtr	4	5 hp	0.5 hp	3 to 4 mpm
5 ton	6 mtr	4	7.5 hp	1 hp	3 to 4 mpm
10 ton	6 mtr	4	10 hp	1.5 hp	3 to 4 mpm



Motorized Chain Pulley Block

Capacity	Motor	Chain dia	Mo.Facs	Speed
1 ton	1 hp	8 mm	1	3 to 4 mpm
2 ton	1 hp	8 mm	2	2 to 3 mpm
3 ton	2 hp	12 mm	1	2 to 3 mpm
5 ton	3 hp	12 mm	2	2 to 3 mpm
10 ton	5 hp	12 mm	4	1 to 2 mpm

CHAIN SLINGS



VA - 01



VA - 02



VA - 03



VA - 04

WIRE ROPE SLINGS



VA - 05



VA - 06



VA - 07



VA - 08

PLATE LIFTING CLAMPS





Lever Hoist



Mini Electric Hoist



Crab Winch



Master Link Assembly



Wire Rope Thimble



Chain Size 5 to 55 mm



Lashing Chain



Magnet Lifter



Electro Magnetic Brake



Turn Buckle



Polyester Webbing Sling Endless Type



Wire Rope



Wire-Rope-Pulley-Blocks



Swivel Hook with Latch



Power Winch



D.S.L. Systems



Wire Rope Sling



Bow Shackle



D Shackles



Forge Hook



Ratchet Lashing



Eye Hook




Wire Rope Clip



Connecting Link



Hand Pallet Truck



Gear Trolley
Non Spark Trolley

CAPACITY (T)	MT	1T	2T	3T	5T	7.5T	10T	15T	20T	25T	30T	40T
No. of falls		1	2	1	2	3	4	6	8	10	12	16
Chain Size Dia.	mm	8	8	12	12	12	12	12	12	12	12	12
Running pull on hand chain	Kgs.	26	28	55	49	50	61	50X2	54X2	70X	54X4	62X4
Weight at 3 meter lift (approx) Hook Susp.	Kgs.	21	30	55	70	100	126	715	755	840	1000	1250
Extra weight per additional meter lift (approx)	Kgs.	2.9	4.3	4.8	8	11.2	14.4	22	28.5	37	40	57





Chain Size 5 to 55 mm



M.S. Chain GR-30/40

S.S. Chain 304,310,316

Alloy Steel Chain Gr.100/80

Copper Chain

Brass Chain



Lashing Chain



Item Code	Width		Webbing Shade	WLL (Working Load Limit in Tone)			
				Straight Lift	Choked Lift	Basket Lift	
CODE	INCH	MM	SHADE	M=WLL X 1.0	M=WLL X 0.8	M=WLL X 2.0	M=WLL X 1.4
SL/2P/1T	1	25	VIOLET	1.0	0.8	2.0	1.4
SL/2P/2T	2	50	GREEN	2.0	1.6	4.0	2.8
SL/2P/3T	3	75	YELLOW	3.0	2.4	6.0	4.2
SL/2P/4T	4	100	GRAY	4.0	3.2	8.0	5.6
SL/2P/5T	5	125	RED	6.0	4.0	10.0	7.0
SL/2P/6T	6	150	BROWN	6.0	4.8	12.0	8.4
SL/2P/8T	8	200	BLUE	8.0	6.4	16.0	11.2
SL/2P/10T	10	250	ORANGE	10.0	8.0	20.0	14.0

ELECTRIC CHAIN HOIST

FEATURES

- Extra Heavy Duty
- Durable Limit Switch
- Fail Safe Brake
- Phase Preventer
- Designed For Very Long Lifts
- Low Voltage Pendant Control
- Overload Protection Device
- Grade 80 Alloy Steel Chain
- Unique Chain Guide Device For Smooth Operation
- 360 Degree Swivel Bottom Hook For Easy Positioning
- Completely Enclosed Body For Indoor And Outdoor Applications



CORDLESS REMOTE (OPTIONAL)



ELECTRIC TROLLEY

